Receipt date: 11/25/2009 10537478 - GAU: 1793

Appl. No. 10/537,478
Reply to Office Action of September 28, 2009

OK TO ENTER: /D.M./

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously presented) An aqueous nanocarbons solution comprising:

nanocarbons, and

an active ingredient which is a surface active agent which is one or more selected from the group consisting of distearoylphosphatidylcholine (DSPC), dimyristoylphosphatidylcholine (DMPC), dipalmitoylphosphatidylcholine (DPPC), 3-[(3-cholamidopropyl)dimethylamino]-2-hydroxy-1-propanesulfonate (CHAPSO), 3-[(3-cholamidopropyl) dimethylamino]-propanesulfonate (CHAP) and N,N-bis (3-D-gluconamidopropyl)-cholamide, or which is alginates having a weight average molecular weight of from 10,000 to 50,000,000, and wherein the active ingredient encapsulates the nanocarbons in globular micelles or pseudo micelles.

2-6. (Cancelled)

Receipt date: 11/25/2009 10537478 - GAU: 1793

OK TO ENTER: /D.M./

Appl. No. 10/537,478
Reply to Office Action of September 28, 2009

7. (Previously presented) The solution according to Claim 1, which further comprises a nanocarbon-permeating substance and an oxidizing agent and the pH ranges from 6 to 14.

- 8. (Previously presented) The solution according to Claim 7, wherein the nanocarbon-permeating substance is lithium ion.
- 9. (Previously presented) The solution according to Claim 7, wherein the oxidizing agent is a persulfate.
- 10. (Previously presented) The solution according to Claim 1, wherein the nanocarbons are carbon nanotubes (single- and multi-layered types and cup-stack types), carbon nanofibers or carbon nanohorns.

11-23. (Cancelled)

24. (Previously presented) A process for producing an aqueous nanocarbons solution comprising the step of adding a crude product to an aqueous solution containing as an active ingredient to encapsulate the nanocarbon in the crude product, a surface active agent capable of forming globular micelles having a diameter of from 50 to 2000 nm in the

Receipt date: 11/25/2009 10537478 - GAU: 1793

OK TO ENTER: /D.M./

Appl. No. 10/537,478
Reply to Office Action of September 28, 2009

solution or alginates having a weight average molecular weight of from 10,000 to 50,000,000, said surface active agent is one or more selected from the group consisting of distearoylphosphatidylcholine (DSPC), dimyristoylphosphatidylcholine (DMPC), dipalmitoylphosphatidylcholine (DPPC), 3-[(3-cholamidopropyl)dimethylamino]-2-hydroxy-1-propanesulfonate (CHAPSO), 3-[(3-cholamidopropyl) dimethylamino]-propanesulfonate (CHAP) and N,N-bis (3-D-gluconamidopropyl)-cholamide, or said alginates, and wherein the active ingredient encapsulates the nanocarbons in globular micelles or pseudo micelles.

25-32. (Cancelled)